	Application No.	A
	Application No.	Applicant(s)
Notice of Allowability	10/662,714	CHO ET AL.
Notice of Allowability	Examiner	Art Unit
	Lori L. Coletta	3612
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Application filed on September 15, 2003</u> .		
2. The allowed claim(s) is/are <u>1-17.</u>		
3. The drawings filed on are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 09292003 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendr	te

Art Unit: 3612

EXAMINER'S AMENDMENT

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. The following changes to the drawings have been approved by the examiner:

 In Figure 1, reference character 18 needs a led line pointing to the cavity.

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

REASONS FOR ALLOWANCE

3. The following is an examiner's statement of reasons for allowance:

The recitations of the specific features of the video monitor in claim 1 including especially the construction of the display housing including a rear casing having a recess, the recess being dimensioned to receive the leaf when the display housing is stowed in the storage cavity, whereby both viewing angle and linear distance or elevation between a viewer and the display panel may be adjusted by rotating the leaf relative to the casing and the display housing relative to the leaf is not taught nor is fairly suggested by the prior art of record.

The recitations of the specific features of the method of safely ventilating a display housing of a vehicle mounted video monitor in claim 11 including especially the construction of the hinge leaf dimensioned to overlie the ventilation ports and overlying the ventilation ports with the hinge leaf when the display housing is stowed in the console is not taught nor is fairly suggested by the prior art of record.

The recitations of the specific features of the video monitor in claim 15 including especially the construction of the display housing including a rear casing having a plurality of ventilation ports extending therethrough and the leaf overlying the ventilation ports when the display panel is stowed in the stowage cavity is not taught nor is fairly suggested by the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lori L. Coletta whose telephone number is 571-272-6658. The examiner can normally be reached on Monday-Friday 7:30am-4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Dayoan can be reached on 571-272-6659. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Page 4

Lower d. Colutta

Lori L. Coletta
Primary Examiner
Art Unit 3612

llc August 25, 2005